

Medidas de barra redonda - cuadrada AW6082 T6

Medidas de barra redonda - cuadrada AW6082 T6

Longitud de barra 3000 mm

- Material calibrado
- Material Extruido

		Ø	Ø		#	#		Ø	Ø	Ø		#	#
MEDIDA	PESO MTR Ø	6082CAL	6082 EXT.	PESO MTR #	6082 CAL	6082 EXT	MEDIDA	PESO MTR Ø	6082 CAL	6082 EXT.	PESO MTR #	6082CAL	6082 EXT
3 mm	0,020	●●		0,025			85 mm	16,170		●	20,230		●
4 mm	0,035	●●		0,045			90 mm	18,190		●	22,700		●
5 mm	0,055	●●		0,070			95 mm	20,340		●	25,270		
6 mm	0,079	●●		0,100			100 mm	22,460		●	28,000		●
7 mm	0,108	●●		0,137			105 mm	24,245		●	30,870		
8 mm	0,141	●●		0,179		●	110 mm	27,280		●	33,880		●
9 mm	0,178	●●		0,227			115 mm	29,083		●	37,030		
10 mm	0,219	●●		0,280		●	120 mm	32,460		●	40,350		●
11 mm	0,266	●●		0,339			125 mm	35,220		●	43,750		
12 mm	0,316	●●	●	0,405		●	130 mm	37,500		●	47,320		
13 mm	0,372	●●	●	0,473			135 mm	40,079		●	51,030		
14 mm	0,431	●●	●	0,549		●	140 mm	44,190		●	54,880		
15 mm	0,494	●●	●	0,630		●	150 mm	50,710		●	63,000		
16 mm	0,563	●●	●	0,168		●	160 mm	57,500		●	71,680		

18 mm	0,713	●●	●	0,902	●	170 mm	63,530	●	80,920		
20 mm	0,880	●●	●	1,120	●	180 mm	73,050	●	90,720		
21 mm	0,970	●●	●	1,235		190 mm	79,370	●	101,080		
22 mm	1,064	●●	●	1,355		200 mm	88,420	●	112,000		
23 mm	1,163	●●	●	1,481		210 mm	99,410	●	123,480		
24 mm	1,267	●●	●	1,613		220 mm	104,920	●	135,520		
25 mm	1,400	●●	●	1,750	●	230 mm	119,240	●	148,120		
26 mm	1,487	●●	●	1,893		240 mm	131,190	●	161,280		
27 mm	1,603	●●	●	2,041		250 mm	137,360	●	175,000		
28 mm	1,724	●●	●	1,195		260 mm	153,970	●	189,280		
30 mm	1,920	●●	●	2,520	●	270 mm	166,040	●	204,120		
32 mm	2,251	●●	●	2,867		280 mm	172,411	●	219,510		
33 mm	2,395	●●	●	3,049		290 mm	191,550	●	235,480		
35 mm	2,740	●●	●	3,430	●	300 mm	197,900	●	252,000		
34 mm	2,542	●●	●	3,237		310 mm	211,300	●	269,100		
36 mm	2,850	●●	●	3,237		320 mm	233,230	●	286,720		
38 mm	3,176	●●	●	4,043		330 mm	248,040	●	304,920		
40 mm	3,340	●●	●	4,480	●	340 mm	256,218	●	323,680		
42 mm	3,879	●●	●	4,930		350 mm	269,392	●	3462,880		
45 mm	4,450	●●	●	5,670	●	360 mm	285,006	●	362,880		
48 mm	5.0667	●●	●	6,451		370 mm	301,060	●	382,320		
50 mm	5,690	●●	●	7,000	●	380 mm	317,553	●	404,320		
52 mm	5,946	●●	●	7,571		390 mm	334,861	●	425,880		
54 mm	6,413	●●	●	8,165		400 mm	351,859	●	448,000		
55 mm	6,560	●●	●	8,470	●	410 mm	369,672	●	470,680		
58 mm	7,398	●●	●	9,419		420 mm	387,920	●	493,920		
60 mm	7,800	●●	●	10,800	●	430 mm	406,617	●	517,720		
65 mm	9,160		●	11,830	●	440 mm	425,740	●	542,080		
70 mm	11,010		●	13,720	●	450 mm	445,322	●	567,000		
75 mm	12,810		●	18,000	●	480 mm	506,677	●	645,120		
80 mm	13,870		●	17,920	●	500 mm	549,800	●			

Barra AW 6082

Barra AW 6082 Esta aleación...

[Leer más](#)

AW 6082 Barra CAST

AW 6082 Barra CAST Características...

[Leer más](#)

AW 6082 Placa laminada

AW 6082 Placa laminada Características...

[Leer más](#)

AW 6082

AW 6082

[Leer más](#)

Medidas de placa AW6082 / T651

Medidas de placa AW6082 /...

[Leer más](#)