

PA6G NATURAL BARRA MACIZA Y HUECA

PA6G NATURAL BARRA MACIZA Y HUECA

Medidas disponibles:

BARRA MACIZA NATURAL

Ø	Tol. DIN 16980		Kg/ml	PA6G
50	+0,3	+1,8	2,430	●
60	+0,3	+2,1	3,500	●
70	+0,3	+2,6	4,730	●
80	+0,4	+2,8	6,200	●
90	+0,5	+3,2	7,830	●
100	+0,6	+3,5	9,700	●
110	+0,7	+3,9	11,700	●
120	+0,8	+4,2	13,930	●
130	+0,8	+4,6	16,400	●
140	+0,8	+4,9	19,000	●

150	+0,8	+5,3	21,800	●
160	+0,8	+5,6	24,800	●
180	+1,0	+6,3	31,400	●
200	+1,0	+7,0	38,700	●
210	+1,0	+7,4	43,400	●
220	+1,0	+7,7	46,800	●
230	+1,0	+8,1	51,700	●
240	+1,0	+8,4	55,800	●
250	+1,0	+8,8	60,500	●
260	+1,0	+9,1	65,400	●
270	+1,0	+9,5	-	
280	+1,0	+9,8	77,400	●
300	+1,0	+10,5	88,600	●
310	+1,0	+10,9	93,000	●
320	+1,5	+11,2	99,100	●
330	+1,5	+11,6	105,400	●
340	+1,5	+11,9	112,150	●
350	+1,5	+12,3	118,600	●
360	+1,5	+12,6	125,400	●
370	+1,5	+13,0	132,500	●
380	+1,5	+13,3	139,800	●
400	+1,5	+14,0	152,000	●
420	+2,0	+14,0	170,700	●
450	+2,0	+14,0	196,000	●
500	+2,0	+17,5	242,000	●
550	+2,0	+19,5	292,800	●

Programa de suministro

Ø 50 mm a Ø 100 mm x 1000 / 3000 mm

Ø 110 mm a Ø 200 mm x 500 / 1000 / 3000 mm

Ø 210 mm a Ø 500 mm x 1000 mm

PA66 NATURAL PLACA EXTRUIDA Y CALANDRADA

PA66 NATURAL PLACA EXTRUIDA...

[Leer más](#)

PA66 BARRA NATURAL MACIZO Y HUECO

PA66 BARRA NATURAL MACIZO...

[Leer más](#)